



MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 06/10/2010 Revision date: 23/07/2024 Supersedes: 14/02/2023 version: 7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : MPM Compressor Oil ISO VG 68
Product code : 48000C
Type of product : Other engine, gear and lubricating oils.
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use, Consumer use, Industrial use
Industrial/Professional use spec : Non-dispersive use
Used in closed systems
Function or use category : Lubricants and additives

1.3. Details of the supplier of the safety data sheet

Manufacturer

MPM International Oil Company BV
Cyclotronweg 1
NL 2629 HN Delft, Zuid Holland
Nederland
T +31 (0)15 2514030 (08.00 - 17.00 GMT+1)
info@mpmoil.com, www.mpmoil.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412
Category 3
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P102 - Keep out of reach of children.
P273 - Avoid release to the environment.
P501 - Dispose of contents/container in accordance with local and national regulations.
EUH-statements : EUH208 - Contains: Arylamine. May produce an allergic reaction.

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Hydrocarbons C10-C13, Aromatics, >1% Naphtalene, Alkylphenol (2,6-di-tert-butylphenol) (128-39-2), Arylamine (90-30-2), naphthalene (91-20-3)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Hydrocarbons C10-C13, Aromatics, >1% Naphtalene, Alkylphenol (2,6-di-tert-butylphenol) (128-39-2), Arylamine (90-30-2), naphthalene (91-20-3)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Hydrocarbons C10-C13, Aromatics, >1% Naphtalene, Alkylphenol (2,6-di-tert-butylphenol) (128-39-2), Arylamine (90-30-2), naphthalene (91-20-3)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Comments : Highly refined mineral oil, contains <3% (w/w) DMSO extract, according to IP346

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons C10-C13, Aromatics, >1% Naphtalene	EC-No.: 926-273-4 REACH-no: 01-2119451151-53	$\geq 0.1 - \leq 0.99$	Carc. 2, H351 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Alkylphenol (2,6-di-tert-butylphenol)	CAS-No.: 128-39-2 EC-No.: 204-884-0 REACH-no: 01-2119490822-33	$\geq 0.1 - \leq 0.35$	Skin Irrit. 2, H315 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410
Arylamine	CAS-No.: 90-30-2 EC-No.: 201-983-0	$\geq 0.1 - \leq 0.2$	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410
naphthalene	CAS-No.: 91-20-3 EC-No.: 202-049-5	$\geq 0.1 - \leq 0.2$	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)

Full text of H- and EUH-statements: see section 16

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation	: Not required.
After skin contact	: Wash skin with mild soap and water.
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
After skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
After eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
After ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray, powder, foam and CO2.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: If spilled, may cause the floor to be slippery.
------------------	---

For non-emergency personnel

Protective equipment	: Gloves. Safety glasses.
Emergency procedures	: Do not breathe vapours.

For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves. Safety glasses.
----------------------	---

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.
Other information	: Spill area may be slippery. Use suitable disposal containers.

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Handling temperature	: < 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Store in a closed container.
Storage conditions	: Keep container closed when not in use.
Storage temperature	: ≤ 40 °C
Storage area	: Store in dry, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

naphthalene (91-20-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOELV TWA (mg/m³)	50 mg/m³
IOELV TWA (ppm)	10 ppm

DNEL and PNEC

Additional information	: Based on ACGIH TLV, a concentration of 5 mg/m3 oilspray (TWA, 8 hour workday) is recommended.
------------------------	---

8.2. Exposure controls

Appropriate engineering controls

Technical measures:

No additional information available.

Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety goggles

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN ISO 374

Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.
Colour	: Amber.
Appearance	: Oily liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability (solid, gas)	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 200 °C @ ASTM D92
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 68 mm ² /s @ 40°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 878 kg/m ³ @ 15°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hydrocarbons C10-C13, Aromatics, >1% Naphtalene

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	590 mg/l 1h
ATE CLP (vapours)	590 mg/l/4h
ATE CLP (dust,mist)	590 mg/l/4h

Alkylphenol (2,6-di-tert-butylphenol) (128-39-2)

LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg

Arylamine (90-30-2)

LD50 oral rat	≈ 1625 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg bodyweight
ATE CLP (oral)	500 mg/kg bodyweight

naphthalene (91-20-3)

LD50 oral rat	> 490 mg/kg
LD50 dermal rat	> 2200 mg/kg
LC50 Inhalation - Rat	> 500 mg/m³ 8h
ATE CLP (oral)	500 mg/kg bodyweight

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Arylamine (90-30-2)

NOAEL (animal/male, F0/P)	< 40 mg/kg bodyweight
NOAEL (animal/female, F0/P)	< 46 mg/kg bodyweight

STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons C10-C13, Aromatics, >1% Naphtalene

NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight OECD 408, EPA OPP 82-1
----------------------------	---

Alkylphenol (2,6-di-tert-butylphenol) (128-39-2)

NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight
----------------------------	----------------------

Arylamine (90-30-2)

LOAEL (oral, rat, 90 days)	20 mg/kg bodyweight
----------------------------	---------------------

NOAEL (oral, rat, 90 days)	80 mg/kg bodyweight
----------------------------	---------------------

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
------------------------	--

Aspiration hazard : Not classified

MPM Compressor Oil ISO VG 68

Viscosity, kinematic	68 mm ² /s @ 40°C
----------------------	------------------------------

Hydrocarbons C10-C13, Aromatics, >1% Naphtalene

Viscosity, kinematic	3.53 mm ² /s @ 20°C
----------------------	--------------------------------

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Hydrocarbons C10-C13, Aromatics, >1% Naphtalene

LC50 fish 1	607.9 mg/l Bateria
-------------	--------------------

LC50 fish 2	2 mg/l Oncorhynchus mykiss
-------------	----------------------------

EC50 Daphnia 1	3 mg/l Daphnia Magna
----------------	----------------------

Alkylphenol (2,6-di-tert-butylphenol) (128-39-2)

LC50 fish 1	1.4 mg/l Pimephales promelas
-------------	------------------------------

EC50 72h - Algae [1]	3.6 mg/l Pseudokirchneriella subcapitata
----------------------	--

EC50 72h - Algae [2]	1.4 mg/l Pseudokirchneriella subcapitata
----------------------	--

EC50 96h - Algae [1]	3.9 mg/l Pseudokirchneriella subcapitata
----------------------	--

EC50 96h - Algae [2]	1.2 mg/l Pseudokirchneriella subcapitata
----------------------	--

LOEC (chronic)	0.086 mg/l Daphnia magna @21d
----------------	-------------------------------

NOEC (chronic)	0.035 mg/l Daphnia magna @21d
----------------	-------------------------------

Arylamine (90-30-2)

LC50 fish 1	0.44 mg/l
-------------	-----------

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Arylamine (90-30-2)	
LOEC (chronic)	0.1 mg/l
naphthalene (91-20-3)	
LC50 fish 1	≈ 1.6 mg/l Oncorhynchus mykiss
LC50 other aquatic organisms 2	2.16 mg/l @48h Daphnia magna
EC50 Daphnia 1	≈ 1.96 mg/l @48h Daphnia magna
EC50 other aquatic organisms 1	≈ 0.93 mg/l 30 min
EC50 other aquatic organisms 2	> 20 mg/l 18h

12.2. Persistence and degradability

MPM Compressor Oil ISO VG 68	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.
Hydrocarbons C10-C13, Aromatics, >1% Naphtalene	
Persistence and degradability	Rapidly degradable
Alkylphenol (2,6-di-tert-butylphenol) (128-39-2)	
Persistence and degradability	Rapidly degradable
Arylamine (90-30-2)	
Persistence and degradability	Rapidly degradable
naphthalene (91-20-3)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

MPM Compressor Oil ISO VG 68	
Soil	Prevent soil and water pollution.

12.5. Results of PBT and vPvB assessment

MPM Compressor Oil ISO VG 68	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Hydrocarbons C10-C13, Aromatics, >1% Naphtalene, Alkylphenol (2,6-di-tert-butylphenol) (128-39-2), Arylamine (90-30-2), naphthalene (91-20-3)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Hydrocarbons C10-C13, Aromatics, >1% Naphtalene, Alkylphenol (2,6-di-tert-butylphenol) (128-39-2), Arylamine (90-30-2), naphthalene (91-20-3)

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The product does not contain any substances with endocrine disrupting properties.

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information : This material and its container must be disposed of in a safe way, and as per local legislation.
European List of Waste (LoW, EC 2000/532) : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
14.1. UN number or ID number	
Not regulated for transport	
14.2. UN proper shipping name	
Not regulated	Not regulated
14.3. Transport hazard class(es)	
Not regulated	Not regulated
14.4. Packing group	
Not regulated	Not regulated
14.5. Environmental hazards	
Not regulated	Not regulated
No supplementary information available	

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ED	Endocrine disruptor
EC-No.	European Community number
vPvB	Very Persistent and Very Bioaccumulative
SDS	Safety Data Sheet
TRGS	Technical Rules for Hazardous Substances
TLM	Median Tolerance Limit
ThOD	Theoretical oxygen demand (ThOD)
STP	Sewage treatment plant
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
PBT	Persistent Bioaccumulative Toxic

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

OEL	Occupational Exposure Limit
OECD	Organisation for Economic Co-operation and Development
NOEC	No-Observed Effect Concentration
NOAEC	No-Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LD50	Median lethal dose
N.O.S.	Not Otherwise Specified
NOAEL	No-Observed Adverse Effect Level
LC50	Median lethal concentration
IOELV	Indicative Occupational Exposure Limit Value
IATA	International Air Transport Association
IARC	International Agency for Research on Cancer
IMDG	International Maritime Dangerous Goods
EN	European Standard

Data sources	: Supplier's safety documents. ECHA (European Chemicals Agency).
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
EUH208	Contains: Arylamine. May produce an allergic reaction.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

MPM Compressor Oil ISO VG 68

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.