



# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 06/06/2012 Revision date: 21/06/2024 Supersedes: 10/09/2019 version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : MPM Heavy Duty Grease EP2  
UFI : SVRV-T06X-A00A-E2TC  
Product code : 65000H  
Type of product : Fats and Oils  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use  
Function or use category : Lubricants and additives

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

MPM International Oil Company BV  
Cyclotronweg 1  
NL 2629 HN Delft, Zuid Holland  
Nederland  
T +31 (0)15 2514030 (08.00 - 17.00 GMT+1)  
[info@mpmoil.com](mailto:info@mpmoil.com), [www.mpmoil.com](http://www.mpmoil.com)

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

CLP Signal word

: WARNING.

Contains

: Polysulfides, di-tert-dodecyl; Dihydro-3-(tetrapropenyl)furan-2,5-dione

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.

# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)	: P102 - Keep out of reach of children. P262 - Do not get in eyes, on skin, or on clothing. P302+P352 - IF ON SKIN: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362 - Take off contaminated clothing. P501 - Dispose of contents/container in accordance with local and national regulations.
Extra phrases	: For professional users only.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Polysulfides, di-tert-dodecyl (68425-15-0), Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Polysulfides, di-tert-dodecyl (68425-15-0), Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Polysulfides, di-tert-dodecyl (68425-15-0), Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polysulfides, di-tert-dodecyl	CAS-No.: 68425-15-0 EC-No.: 270-335-7	> 5 – < 10	Skin Sens. 1B, H317
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1 EC-No.: 270-128-1 REACH-no: 01-2119491299-23	> 0.1 – < 3	Repr. 2, H361f Aquatic Chronic 3, H412
Dihydro-3-(tetrapropenyl)furan-2,5-dione	CAS-No.: 26544-38-7 EC-No.: 247-781-6 REACH-no: 01-2119979080-37	> 0.1 – < 1	Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 4, H413

Comments : This product does not contain substances that may be of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Full text of H- and EUH-statements: see section 16

# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General	: In all cases of doubt, or when symptoms persist, seek medical attention.
After inhalation	: Allow affected person to breathe fresh air.
After skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
After eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
After ingestion	: Let water be swallowed in little sips (dilution effect). Allow the victim to rest. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray, powder, foam and CO2.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: If spilled, may cause the floor to be slippery.
------------------	---

##### For non-emergency personnel

Protective equipment	: Gloves. Safety glasses.
Emergency procedures	: Do not breathe vapours.

##### For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves. Safety glasses.
----------------------	---

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.
Other information	: Spill area may be slippery. Use suitable disposal containers.

#### 6.4. Reference to other sections

No additional information available

# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Additional hazards when processed : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Handling temperature : < 20 °C
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Store in a closed container.
- Storage conditions : Keep container closed when not in use.
- Storage temperature : ≤ 20 °C
- Storage area : Store in dry, well-ventilated area.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### DNEL and PNEC

- Additional information : Based on ACGIH TLV, a concentration of 5 mg/m3 oilspray (TWA, 8 hour workday) is recommended.

#### 8.2. Exposure controls

##### Appropriate engineering controls

##### Technical measures:

No additional information available.

##### Personal protection equipment

##### Personal protective equipment:

Gloves. Safety glasses.

##### Personal protective equipment symbol(s):



##### Eye and face protection

##### Eye protection:

Safety goggles

##### Skin protection

##### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

##### Hand protection:

Protective gloves

##### Hand protection

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN ISO 374

# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Respiratory protection

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Green.
Appearance	: Paste.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: > 175 °C
Freezing point	: Not available
Boiling point	: > 300 °C
Flammability (solid, gas)	: Not available
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: > 200 °C
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Insoluble.
Log Kow	: Not available
Vapour pressure	: < 1000 hPa @ 50C
Vapour pressure at 50°C	: Not available
Density	: ca. 900 kg/m <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

### 10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

### 10.6. Hazardous decomposition products

On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).

# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

LD50 oral rat	> 5000 mg/kg OECD 401
---------------	-----------------------

#### Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)

LD50 oral rat	2900 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	5.3 mg/l/4h
ATE CLP (oral)	2900 mg/kg bodyweight
ATE CLP (dust,mist)	5.3 mg/l/4h

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

#### Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)

Viscosity, kinematic	0.428 mm²/s
----------------------	-------------

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

##### Other information

Potential adverse human health effects and symptoms : According to the Preparation Directive 1999/45/EC this product is classified as not dangerous. This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

EC50 72h - Algae [1]	100 mg/l
NOEC (acute)	10 – 100 mg/l 72h

# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### MPM Heavy Duty Grease EP2

Persistence and degradability	Not soluble in water, so only minimally biodegradable.
-------------------------------	--

#### Polysulfides, di-tert-dodecyl (68425-15-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

Persistence and degradability	Under test conditions no biodegradation observed.
-------------------------------	---

#### Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### 12.3. Bioaccumulative potential

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

Bioconcentration factor (BCF REACH)	> 1719
-------------------------------------	--------

### 12.4. Mobility in soil

#### MPM Heavy Duty Grease EP2

Soil	Prevent soil and water pollution.
------	-----------------------------------

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

Log Koc	> 5730
---------	--------

### 12.5. Results of PBT and vPvB assessment

#### MPM Heavy Duty Grease EP2

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Polysulfides, di-tert-dodecyl (68425-15-0), Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)
--	---

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Polysulfides, di-tert-dodecyl (68425-15-0), Dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)
---	---

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The product does not contain any substances with endocrine disrupting properties.

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Do not dispose of with domestic waste.
Waste disposal recommendations	: Remove to an authorized waste treatment plant.
Waste materials	: Conform to current legislation, regulations and orders. Empty the packaging completely prior to disposal.

# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
<b>14.1. UN number or ID number</b>	
Not regulated for transport	
<b>14.2. UN proper shipping name</b>	
Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>	
Not regulated	Not regulated
<b>14.4. Packing group</b>	
Not regulated	Not regulated
<b>14.5. Environmental hazards</b>	
Not regulated	Not regulated
No supplementary information available	

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)



# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Revision date	<b>Modified</b>
	Comments (below composition)	<b>Added</b>
	SDS EU format	<b>Removed</b>
	Type of product	<b>Modified</b>
1.1	UFI on SDS 1.1	<b>Added</b>

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ED	Endocrine disruptor
EC-No.	European Community number
vPvB	Very Persistent and Very Bioaccumulative
SDS	Safety Data Sheet
TRGS	Technical Rules for Hazardous Substances
TLM	Median Tolerance Limit
ThOD	Theoretical oxygen demand (ThOD)
STP	Sewage treatment plant
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
PBT	Persistent Bioaccumulative Toxic
OEL	Occupational Exposure Limit

# MPM Heavy Duty Grease EP2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

OECD	Organisation for Economic Co-operation and Development
NOEC	No-Observed Effect Concentration
NOAEC	No-Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LD50	Median lethal dose
N.O.S.	Not Otherwise Specified
NOAEL	No-Observed Adverse Effect Level
LC50	Median lethal concentration
IOELV	Indicative Occupational Exposure Limit Value
IATA	International Air Transport Association
IARC	International Agency for Research on Cancer
IMDG	International Maritime Dangerous Goods
EN	European Standard

Data sources	: Supplier's safety documents. ECHA (European Chemicals Agency).
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

### Full text of H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.