



MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 24/07/2009 Revision date: 14/01/2025 Supersedes: 23/11/2023 version: 5.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : MPM Screenwash Ready to Use Green -12°C
Product code : 85000BG
Type of product : Windscreen cleaner (includes windscreen cleaners with anti-freeze)
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Consumer use, Professional use
Function or use category : Anti-freezing agents

1.3. Details of the supplier of the safety data sheet

Manufacturer

MPM International Oil Company BV
Cyclotronweg 1
NL 2629 HN Delft, Zuid Holland
Nederland
T +31 (0)15 2514030 (08.00 - 17.00 GMT+1)
info@mpmoil.com, www.mpmoil.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.
EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Ethanol; ethyl alcohol (64-17-5), Ethanediol; ethylene glycol (107-21-1)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Ethanol; ethyl alcohol (64-17-5), Ethanediol; ethylene glycol (107-21-1)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Ethanol; ethyl alcohol (64-17-5), Ethanediol; ethylene glycol (107-21-1)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-43	> 0 – ≤ 12	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Ethanediol; ethylene glycol	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816-28	> 0 – ≤ 2	Acute Tox. 4 (Oral), H302

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-43	(50 ≤ C < 100) Eye Irrit. 2; H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General	: If you feel unwell, seek medical advice (show the label where possible).
After inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
After skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: Do NOT induce vomiting. Rinse mouth out with water. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: High concentration of vapours may induce: headache, nausea, dizziness. Cough.
After skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: After ingestion: Gastric and intestinal problems.

MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

No additional information available

5.2. Special hazards arising from the substance or mixture

Fire hazard : In use, may form flammable/explosive vapour-air mixture.
Explosion hazard : Vapours may form explosive mixture with air.

5.3. Advice for firefighters

Other information : Use a water spray to cool exposed surfaces and to protect fire-fighters.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

No additional information available

6.2. Environmental precautions

Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

Other information : Provide adequate ventilation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

Storage area : Keep in a cool, well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Ethanol; ethyl alcohol (64-17-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOELV TWA (mg/m³)	260 (NL); 950 (NO); 960 (DE, CH, SK); 1000 (SE, CS, ET, LT, BG, LV, RU); 1900 (DK, FR, FI, GR, AT, HU, SL, HR, PL); 1907 (BE); 1910 (ES); 1920 (GB)

MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol; ethyl alcohol (64-17-5)	
IOELV TWA (ppm)	1000 (FR, GB, PT, BE, ES, DK, FI); 500 (DE, SE, NO, CH)
IOELV STEL (mg/m³)	1900 (LT, ET, NL, SE); 1920 (CH, SK); 2500 (FI); 3000 (CS); 3800 (AT); 9500 (FR)
IOELV STEL (ppm)	5000 (FR); 1000 (SE, CH); 1300 (FI)
Ireland - Occupational Exposure Limits	
Local name	Ethanol [Ethyl alcohol]
OEL (15 min ref) (ppm)	1000 ppm
Regulatory reference	Chemical Agents Code of Practice 2021
Ethanediol; ethylene glycol (107-21-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Ethylene glycol
IOELV TWA (mg/m³)	52 mg/m³
IOELV STEL (mg/m³)	104 mg/m³
IOELV STEL (ppm)	40 ppm
Notes	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	Ethane-1,2-diol [Ethylene glycol]
OEL (8 hours ref) (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour
OEL (8 hours ref) (ppm)	20 ppm vapour
OEL (15 min ref) (mg/m³)	104 mg/m³ vapour
OEL (15 min ref) (ppm)	40 ppm vapour
Regulatory reference	Chemical Agents Code of Practice 2021

8.2. Exposure controls

Appropriate engineering controls

Technical measures:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety goggles

Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection:

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN ISO 374

Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.
Colour	: Green.
Odour	: Citrus-like.
Odour threshold	: Not available
Melting point	: -14 °C
Freezing point	: -14 °C
Boiling point	: 78 – 192 °C
Flammability (solid, gas)	: Not available
Lower explosion limit	: 3.2 vol %
Upper explosion limit	: 15.3 vol %
Flash point	: 44 °C According to paragraph 2.6.4.5 in Annex I to Regulation (EC) No 1272/2008, liquids with a flash point of more than 35 °C need not be classified in Category 3 if negative results have been obtained in the sustained combustibility test L.2, Part III, section 32 of the UN Manual of Tests and Criteria. This is however not valid under elevated conditions such as high temperature or pressure, and therefore such liquids are included in this entry.
Auto-ignition temperature	: 432 °C
Decomposition temperature	: Not available
pH	: 7
Viscosity, kinematic	: 1 mm²/s
Solubility	: Water: 100 %
Log Kow	: Not available
Vapour pressure	: 2332 Pa 20 °C
Vapour pressure at 50°C	: Not available
Density	: 950 kg/m³
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

Other safety characteristics

VOC content	: 16.44 %
Other properties	: no self-sustaining combustion

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions of use.

MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

10.5. Incompatible materials

Strong oxidizing agent.

10.6. Hazardous decomposition products

On combustion, forms: carbon oxides (CO and CO₂).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethanol; ethyl alcohol (64-17-5)

LD50 oral rat	10470 mg/kg
LD50 oral	8300 mg/kg bodyweight mouse
LD50 dermal rat	> 15800 mg/kg
LC50 Inhalation - Rat	30000 mg/m ³
ATE CLP (oral)	8300 mg/kg bodyweight
ATE CLP (vapours)	30 mg/l/4h
ATE CLP (dust,mist)	30 mg/l/4h

Ethanediol; ethylene glycol (107-21-1)

LD50 dermal rat	> 3500 mg/kg
LC50 Inhalation - Rat	> 2.5 mg/l @ 6h
ATE CLP (oral)	500 mg/kg bodyweight

Skin corrosion/irritation : Not classified
pH: 7
Serious eye damage/irritation : Not classified
pH: 7
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Ethanediol; ethylene glycol (107-21-1)

NOAEL (chronic, oral, animal/male, 2 years)	1000 mg/kg bodyweight
NOAEL (chronic, oral, animal/female, 2 years)	1500 mg/kg bodyweight

Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Ethanol; ethyl alcohol (64-17-5)

NOAEL (subchronic, oral, animal/male, 90 days)	9700 mg/kg bodyweight EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	9400 mg/kg bodyweight Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard : Not classified

MPM Screenwash Ready to Use Green -12°C

Viscosity, kinematic	1 mm²/s
----------------------	---------

Ethanediol; ethylene glycol (107-21-1)

Viscosity, kinematic	14.505 mm²/s
----------------------	--------------

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1. Toxicity

General : Do not allow into drains or water courses.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Ethanol; ethyl alcohol (64-17-5)

LC50 fish 1	11200 mg/l /96h
EC50 Daphnia 1	5012 mg/l /48h Freshwater
ErC50 (algae)	275 mg/l /72h Freshwater
NOEC (chronic)	9.6 mg/l Daphnia magna @9d

Ethanediol; ethylene glycol (107-21-1)

LC50 fish 1	72860 mg/l @ 96h (Pimephales promelas)
EC50 Daphnia 1	> 100 mg/l @ 48h (EOCD Guideline 202, Daphnia magna)
EC50 96h - Algae [2]	6500 – 13000 mg/l @ Pseudokirchneriella subcapitata
NOEC chronic fish	15380 mg/l @ 7d, Pimephales promelas
NOEC chronic crustacea	8590 mg/l @ Ceriodaphnia dubia

12.2. Persistence and degradability

MPM Screenwash Ready to Use Green -12°C

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Ethanol; ethyl alcohol (64-17-5)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Ethanediol; ethylene glycol (107-21-1)

Persistence and degradability	Rapidly degradable
Biodegradation	Readily biodegradable

MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

Ethanediol; ethylene glycol (107-21-1)

Log Pow	-1.36
Bioaccumulative potential	There is no bioaccumulation.

12.4. Mobility in soil

Ethanediol; ethylene glycol (107-21-1)

Soil	This material has low volatility and is water soluble hence the potential for mobility is high.
------	---

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Ethanol; ethyl alcohol (64-17-5), Ethanediol; ethylene glycol (107-21-1)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Ethanol; ethyl alcohol (64-17-5), Ethanediol; ethylene glycol (107-21-1)

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The product does not contain any substances with endocrine disrupting properties.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
14.1. UN number or ID number	
Not regulated for transport	
14.2. UN proper shipping name	
Not regulated	Not regulated
14.3. Transport hazard class(es)	
Not regulated	Not regulated
14.4. Packing group	
Not regulated	Not regulated
14.5. Environmental hazards	
Not regulated	Not regulated
Not subject to ADR; aqueous mixture, contains <24% ethanol (special provision 144)	

MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 16.44 %

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes

Section	Changed item	Comments
	Supersedes	Modified
	Revision date	Modified
3	Composition/information on ingredients	Modified

MPM Screenwash Ready to Use Green -12°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists. TWA: Time Weighted Average. TLV: Threshold Limit Value. ASTM: American Society for Testing and Materials . ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route . RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail . ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin. IMDG: International Maritime Dangerous Goods. ICAO: International Civil Aviation Organization . IATA: International Air Transport Association. STEL: Short Term Exposure Limit. LD50: median Lethal Dose for 50% of subjects. ATE: acute toxicity estimate. LC50: median Lethal Concentration for 50% of subjects. EC50: concentration producing 50% effect.

Other information

: According to paragraph 2.6.4.5 in Annex I to Regulation (EC) No 1272/2008, liquids with a flash point of more than 35 °C need not be classified in Category 3 if negative results have been obtained in the sustained combustibility test L.2, Part III, section 32 of the UN Manual of Tests and Criteria. This is however not valid under elevated conditions such as high temperature or pressure, and therefore such liquids are included in this entry.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
EUH210	Safety data sheet available on request.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.