



# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 12/11/2019 Revision date: 16/09/2025 Supersedes: 02/12/2020 version: 26.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : MPM Interior Cleaner Aerosol  
UFI : 6QDW-Q0NN-200M-7XE8  
Product code : A401  
Type of product : Aerosol.  
Vaporizer : Aerosol.  
Product group : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use  
Item Numbers (SKU) : This interior cleaner is a universal foam-based product for optimum cleaning of the interior of a car, household, boat, etc. MPM Interior Cleaner easily removes grease, oil and tar and is very suitable for cleaning heavily soiled car windows.  
Use of the substance/mixture : Automotive care products

#### 1.3. Details of the supplier of the safety data sheet

MPM International Oil Company BV  
Cyclotronweg 1  
NL 2629 HN Delft, Zuid Holland  
Nederland  
T +31 (0)15 2514030 (08.00 - 17.00 GMT+1)  
[info@mpmoil.com](mailto:info@mpmoil.com), [www.mpmoil.com](http://www.mpmoil.com)

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229  
Serious eye damage/eye irritation, Category 2 H319  
Full text of H- and EUH-statements: see section 16


##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CLP Signal word	: DANGER.
Hazard statements (CLP)	: H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P102 - Keep out of reach of children. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P280 - Wear eye protection, protective gloves, face protection. P337+P313 - If eye irritation persists: Get medical advice/attention. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. P501 - Dispose of contents/container 50 °C, 122°F.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0	$\geq 10 - \leq 20$	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
butane (containing $\geq 0,1$ % butadiene (203- 450-8))	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-01-8 REACH-no: 01-2119474691-32	$\geq 1 - \leq 3$	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
isobutane	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395-27	$\geq 1 - \leq 2.5$	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
2-butoxyethanol; ethylene glycol monobutyl ether	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-36	$\geq 0.1 - \leq 1$	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Ammonia	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2	$\geq 0.1 - \leq 0.3$	Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=1)
Natrium-N-lauroylsarkosinaat	CAS-No.: 137-16-6 EC-No.: 205-281-5 REACH-no: 01-2119527780-39	$\geq 0.1 - \leq 0.3$	Acute Tox. 3 (Inhalation:gas), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Ammonia	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2	(5 ≤ C < 100) STOT SE 3; H335
Natrium-N-lauroylsarkosinaat	CAS-No.: 137-16-6 EC-No.: 205-281-5 REACH-no: 01-2119527780-39	(0 < C ≤ 34.5) Acute Tox. 4 (Inhalation); H332 (1 ≤ C ≤ 30) Eye Irrit. 2; H319 (30 < C < 100) Skin Irrit. 2; H315 (30 < C < 100) Eye Dam. 1; H318 (34.5 < C < 100) Acute Tox. 2 (Inhalation); H330

Comments : Perfumes (CITRAL, D-Limonen) <5%  
Anionic surfactants :  
Aliphatic hydrocarbons > 5- <15%

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

After inhalation : Take victim to fresh air, in a quiet place and if necessary take medical advice.  
After skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.  
After eye contact : Consult an ophthalmologist if irritation persists. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
After ingestion : Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Carbon dioxide. Dry powder.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : On heating/burning: release of (highly) toxic gases/vapours e.g.: carbon monoxide - carbon dioxide. May form flammable/explosive vapour-air mixture.  
Explosion hazard : Heat from a fire could result in drum bursting. May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Protection during firefighting : Self-contained breathing apparatus with an air line.  
Other information : Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Use a water spray to cool exposed surfaces and to protect fire-fighters.

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep public away. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### For non-emergency personnel

Protective equipment : Wear suitable protective clothing and eye/face protection. Wear respiratory protection.  
Emergency procedures : Provide adequate ventilation.

##### For emergency responders

Protective equipment : Wear respiratory protection. Wear suitable protective clothing and eye/face protection.

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Clean with the help of detergents.  
Other information : Ensure adequate ventilation.

#### 6.4. Reference to other sections

See Section 13 for additional waste treatment information.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured. Avoid contact with skin and eyes. Take precautionary measures against static discharge. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed.  
Storage conditions : Protect from heat and direct sunlight.  
Information on mixed storage : Observe official regulations on storing packagings with pressurized containers.  
Storage area : Store in a closed container. Store according to local legislation. Keep in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

##### EU - Indicative Occupational Exposure Limit (IOEL)

IOELV TWA (mg/m³)	997 mg/m³
-------------------	-----------

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

butane (containing $\geq 0,1$ % butadiene (203- 450-8)) (106-97-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOELV TWA (mg/m <sup>3</sup> )	1430 mg/m <sup>3</sup>
IOELV TWA (ppm)	600 ppm
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOELV TWA (mg/m <sup>3</sup> )	98 mg/m <sup>3</sup>
IOELV TWA (ppm)	20 ppm
IOELV STEL (mg/m <sup>3</sup> )	246 mg/m <sup>3</sup>
IOELV STEL (ppm)	50 ppm

### 8.2. Exposure controls

#### Personal protection equipment

##### Personal protective equipment:

High gas/vapour concentration: gas mask with filter type AX. Gloves. Safety glasses.

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Protective goggles

#### Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Wear suitable gloves resistant to chemical penetration

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR)	5 (> 240 minutes)	>0.7		

#### Other skin protection

##### Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

#### Respiratory protection

##### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Type AX

#### Environmental exposure controls

##### Other information:

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Avoid inhalation of vapours. Avoid contact with skin. Take off contaminated clothing.

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: White.
Appearance	: Aerosol can.
Odour	: Fruity.
Odour threshold	: Not available
Melting point	: Not determined.
Freezing point	: Not determined.
Boiling point	: < 0 °C Not determined.
Flammability (solid, gas)	: Not available
Explosive properties	: Product is not explosive. In use, may form flammable/explosive vapour-air mixture.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not applicable as aerosol.
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: Not available
pH	: < 11.4 @ 20°C
Viscosity, kinematic	: Not available
Solubility	: Water: 100 % Organic solvent:23.1 %
Log Kow	: Not available
Vapour pressure	: ca. 5 bar @ 20C
Vapour pressure at 50°C	: Not available
Density	: 926 kg/m <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

##### Information with regard to physical hazard classes

% of flammable ingredients : 26.5 %

##### Other safety characteristics

VOC content : 208.2 g/l  
Other properties : They may form explosive mixtures with air

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Aldehydes. Carbon dioxide. Carbon monoxide.

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Ingestion may cause nausea, vomiting and diarrhea. May cause irritation to the respiratory tract
Acute toxicity (dermal)	: May cause an allergic skin reaction. Redness. Irritation
Acute toxicity (inhalation)	: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. May cause irritation to the respiratory tract

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)

butane (containing $\geq 0,1$ % butadiene (203- 450-8)) (106-97-8)	
LC50 Inhalation - Rat (Vapours)	658 mg/l/4h
ATE CLP (vapours)	658 mg/l/4h

isobutane (75-28-5)	
LC50 Inhalation - Rat (Vapours)	> 50 mg/l/4h

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)	
LD50 oral rat	1200 mg/kg (ATE)
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	1200 mg/kg bodyweight
ATE CLP (vapours)	3 mg/l/4h

Ammonia (1336-21-6)	
LD50 oral rat	350 mg/kg
ATE CLP (oral)	350 mg/kg bodyweight

Natrium-N-lauroylsarkosinaat (137-16-6)	
LD50 oral rat	> 5000 mg/kg bodyweight OECD 401
ATE CLP (gases)	700 ppmv/4h

Skin corrosion/irritation	: Not classified pH: < 11.4 @ 20°C
Serious eye damage/irritation	: Causes serious eye irritation. pH: < 11.4 @ 20°C
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified.

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure	: Not classified
------------------------	------------------

Natrium-N-lauroylsarkosinaat (137-16-6)	
NOAEL (oral, rat, 90 days)	30 mg/kg bodyweight OECD 408

Aspiration hazard	: Not classified
-------------------	------------------

MPM Interior Cleaner Aerosol	
Vaporizer	Aerosol.

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)

Viscosity, kinematic	7.111 mm²/s
----------------------	-------------

### Natrium-N-lauroylsarkosinaat (137-16-6)

Viscosity, kinematic	391.762 mm²/s
----------------------	---------------

## 11.2. Information on other hazards

### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### Other information

Potential adverse human health effects and symptoms : May be narcotic, Irritation: severely irritant to eyes

## SECTION 12: Ecological information

### 12.1. Toxicity

General : Do not allow into drains or water courses.  
Ecology - water : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

### propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LC50 fish 1	10000 mg/l Pimephales promelas
LC50 fish 2	9640 mg/l Pimephales promelas

### 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)

LC50 fish 1	1490 mg/l Lepomis macrochirus
EC50 Daphnia 1	> 1800 mg/l Daphnia magna
EC50 72h - Algae [1]	> 911 mg/l Pseudokirchneriella subcapitata
EC50 72h - Algae [2]	> 1840 mg/l Pseudokirchneriella subcapitata
NOEC (chronic)	100 mg/l Daphnia magna Duration: @ 21d
NOEC chronic fish	> 100 mg/l

### Ammonia (1336-21-6)

LC50 fish 1	0.083 mg/l
-------------	------------

### Natrium-N-lauroylsarkosinaat (137-16-6)

LC50 fish 1	107 mg/l Danio rerio
EC50 Daphnia 1	29.7 mg/l Daphnia magna
EC50 72h - Algae [1]	79 mg/l Desmodesmus subspicatus
EC50 72h - Algae [2]	39 mg/l Desmodesmus subspicatus



# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### MPM Interior Cleaner Aerosol

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### butane (containing $\geq 0,1$ % butadiene (203- 450-8)) (106-97-8)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### isobutane (75-28-5)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Ammonia (1336-21-6)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

#### Natrium-N-lauroylsarkosinaat (137-16-6)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The product does not contain any substances with endocrine disrupting properties.

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Do not dispose of with domestic waste.
Waste disposal recommendations	: Remove to an authorized waste treatment plant.
Waste materials	: Dispose of contents/container in accordance with licensed collector's sorting instructions and in accordance to local and regional legislation.
European List of Waste (LoW, EC 2000/532)	: 15 01 04 - metallic packaging 16 05 04* - gases in pressure containers (including halons) containing dangerous substances



## SECTION 14: Transport information

In accordance with ADR / IMDG

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG
<b>14.1. UN number or ID number</b>	
UN 1950	UN 1950
<b>14.2. UN proper shipping name</b>	
AEROSOLS	AEROSOLS
<b>Transport document description</b>	
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1
<b>14.3. Transport hazard class(es)</b>	
2.1	2.1
	
<b>14.4. Packing group</b>	
Not applicable	Not applicable
<b>14.5. Environmental hazards</b>	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-D EmS-No. (Spillage): S-U
No supplementary information available	

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : 5F  
Limited quantities (ADR) : 1I  
Transport category (ADR) : 2  
Tunnel restriction code (ADR) : D

#### Transport by sea

Limited quantities (IMDG) : SP277

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### VOC Directive (2004/42)

VOC content : 208.2 g/l

### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Supersedes	<b>Modified</b>
	Revision date	<b>Modified</b>

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ED	Endocrine disruptor
EC-No.	European Community number
vPvB	Very Persistent and Very Bioaccumulative
SDS	Safety Data Sheet
TRGS	Technical Rules for Hazardous Substances
TLM	Median Tolerance Limit
ThOD	Theoretical oxygen demand (ThOD)

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
STP	Sewage treatment plant
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
PBT	Persistent Bioaccumulative Toxic
OEL	Occupational Exposure Limit
OECD	Organisation for Economic Co-operation and Development
NOEC	No-Observed Effect Concentration
NOAEC	No-Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LD50	Median lethal dose
N.O.S.	Not Otherwise Specified
NOAEL	No-Observed Adverse Effect Level
LC50	Median lethal concentration
IOELV	Indicative Occupational Exposure Limit Value
IATA	International Air Transport Association
IARC	International Agency for Research on Cancer
IMDG	International Maritime Dangerous Goods
EN	European Standard

Data sources	: Supplier's safety documents. ECHA (European Chemicals Agency).
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1A	Flammable gases, Category 1A

# MPM Interior Cleaner Aerosol

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Flam. Liq. 2	Flammable liquids, Category 2
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.